

DAIKIN ONE+ and TOUCH HOMEOWNER MENU OUTLINE
(based on v3.5 software for unitary systems)

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7	
home screen	mode icon	(see below)					
	room relative humidity						
	room temperature						
	csp and cooler/down icon						
	hsp and warmer/up icon						
	thermostat name field						
	critical error messages	(if any)					
status messages							
schedule screen	(see below)						
away screen	away csp and hsp						
air quality screen	room temperature						
	outdoor temp						
	outdoor humidity						
	weather forecast						
	circulate air (selection)	off					
		always on					
		on a schedule					
	speed	low					
		medium					
		high					
one clean	off						
	on						
system mode	auto (cool & heat)						
	cool						
	heat						
	off						
	emergency heat	(if HP and another heat source)					
	paused until...	(if schedule paused)					
	on						
	off						
	edit schedule		Sunday	(1st schedule event name)	day (weekday of event)	time	(time selection)
			Monday	start time	label		(text entry)
			Tuesday	heat setpoint/cool setpoint	action		set temperature
			Wednesday		temperature		(selection of heat and cool setpoints)
			Thursday	(2nd schedule event name)	(same options as 1st schedule event)		
			Friday	start time			
			Saturday	heat setpoint/cool setpoint			
	override duration		until next event				
			for one hour				
			for two hours				
			for four hours				
	away	on (radio button)					
off (radio button)							
away temperatures		setpoints)					
receive geofencing events (checkbox)							
display	language	english					
		español					
		française					
	degree units	fahrenheit					
		celsius					
	brightness	50 - 100% scale					
	night mode	night mode (check box)					
		from (time selection)					
		to (time selection)					
	use large font (check box)						
use light bar (check box)							
screen saver	off						
	blank screen						
	analog clock						
	digital clock						
screen cleaning	touch screen is disabled from screen cleaning (30s)						
lock	Enter a 4-digit PIN...	(number entry)					
sound	use sound (check box)	(not the Touch thermostat)					
	quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer)	use quiet mode	(check box)				
		quiet hours	from: (time) to: (time) (time selection in 15 min. increments)				
reminders	(list of installed reminder type with following menu for each)	Off					
		1 month					
		2 months					
		3 months					
		4 months					
		6 months					
		12 months					
restart timer	cancel						
	continue						
date & time	time zone	with radio buttons; cannot be changed if connected to internet and app)					
	month/date/year	be changed if connected to internet)					
	hour/minute/am or pm	be changed if connected to internet)					

Settings

	use 24-hour time format (checkbox)				
wifi	use wifi (checkbox)				
	networks (current network)	network list	legal notices	terms of use (text)	
				privacy policy (text)	
				end user license agreement (text)	
				decline	
				accept	
		(password text box)			
		show password (checkbox)	(if protected network)		
		advanced settings	use dhcp (checkbox)	(screen appears after legal notices accepted)	
		connect per agreed terms (and) Done	(initiates connection to wifi network)		
	searching for networks (or) search again				
	internet connected (check)				
	Daikin One Cloud connected (check)				
	legal notices	terms of use (text)			
		privacy policy (text)			
		end user license agreement (text)			
	restart thermostat (if internet but no cloud)				
account	(6-digit account code if app not connected)				
	(account email if app connected)				
	reset registration (if app connected)	cancel			
		continue			
air quality	circulate air (selection)	off	(radio buttons)		
		always on			
		on a schedule			
		speed	low (if "always on" or "on a schedule" selected)		
			medium		
		high			
		schedule (selected time)	from (time) to (time)		
		duration	for entire schedule (radio buttons)	(if "on a schedule" selected)	
			hourly for 5 minutes		
			hourly for 15 minutes		
		hourly for 30 minutes			
		hourly for 45 minutes			
	one clean	Off			
		On			
humidity	target humidity	humidify if less than (25% - 65%)	(5% increments)		
		dehumidify if more than (35% - 75%)	(5% increments)		
	overcool to dehumidify	Overcooling allowed to dehumidify:	(1°F or 0.5°C increments)		
		Temperature setpoint deadband:	(1°F or 0.5°C increments)		
energy	demand response	use demand response (checkbox)	(only functional with local utility support)		
		When demand response signal is received: offset temperature setpoints	(radio buttons)		
		fixed temperature setpoints			
		response settings	setpoint offsets	Offset heat setpoints by this value: (-1°F to -7°F)	
			event setpoint limits	Offset cool setpoints by this value: (1°F to 7°F)	
		enable energy pricing (checkbox)	(50°F to 90°F)		
		price trigger (if checkbox above)	(\$0.00 to \$9.99)		
thermostat	name	main room			
		upstairs			
		downstairs			
		hallway			
		bedroom			
		kitchen			
		other			
		other name (if other selected)	(text entry)		
		model ONEPLUS			
		software version (x.x.x format)			
	wifi address (x:x:x:x:x format)				
	thermostat ID (DKN...)	(2D barcode of DKN number for cloud commissioning)			
		dismiss			
	restart thermostat	cancel			
		continue			
	check for update	software update found (or) no update available			
		dismiss			
equipment	COMMUNICATING EQUIPMENT:				
	air conditioner (model, if present) (or) heat pump (model, if present)	(model details)			
		specifications	(list of model specifications)		
		quiet mode (off or hours if enabled) (if unit supports quiet mode)	use quiet mode (checkbox)		
			quiet hours	from: (time) to: (time) (in 15 min. increments)	
		prioritize efficiency (or) prioritize comfort (if heat pump and furnace system)	(radio buttons)		
air handler (model)(if present) (or)	(model details)				
	specifications	(list of model specifications)			
	EEV coil (if present)	(list of model specifications)			
	ADDITIONAL EQUIPMENT:				

	air quality sensor	(if installed)		
	electronic filter	(if installed)		
	media filter	(if installed)		
	UV bulbs	(if installed)		
	aux heat source	(if installed)		
	humidifier	(if installed)		
	dehumidifier	(if installed)		
	zone board	(if installed)		
support	Daikin Support	(Daikin contact information)		
	Daikin Dealer	(if dealer information entered)		
	cloud services	no access		
		view only		
dealer edit	cancel	(i)	(4 digit code for thermostat)	
		4 digit code (text entry)		
	continue	unlock thermostat (or) done	(entry into commissioning screens)	