



Current R-410A & New R-32 Models



RESIDENTIAL PRODUCT LINE CARD



Split System Heat Pumps and Air Conditioners



Air Handlers and Coils



Gas Furnaces



Packaged Air Conditioners and Heat Pumps



Single and Multi-Zone Systems

Our continuing commitment to quality products may mean a change in specifications without notice.

COMFORTABLE LIMITED WARRANTY* PROTECTION

Single and Multi-Zone Systems		SkyAir ^{††}	Packaged: Air Conditioner, Heat Pumps, Duel Fuel and Gas/Electric ^{††}			
DAIKIN ENTRA [†] - (R-410A & R-32)	Daikin EMURA [†] Daikin OTERRA [†] - (R-410A & R-32) Daikin AURORA [†] , FDMQ [†] , Daikin ATMOSPHERA, MXS series [†] , Daikin VISTA [†] , MXS, MXL, MXLH, MXM, MXMT, MXMTH	All products	DP3CH, DP3HH, DP3HM	DP5HH, DP5HM	DP3GM, DP3UM	DP3DM, DP5GM, DP5UM

Heat Pump and Air Conditioners ^{††}			Gas Furnace ^{††}	Air Handlers and Coils ^{††}
R-410A DX9VC, DX7TC, DZ9VC, DZ6VS, DZ7TC R-32 DH4SQ, DC6VS, DH6VS, DH7VS	R-32 DC3SE, DC4SE, DC5SE, DH5SE	R-32 DC3SQ, DC4SQ	R-410A DM97MC, DC97MC, DM96VC, DC96VC R-32 DR96SN-U, DR96TN / DD96TN, DR96SN / DD96SN, DR92SN, DR80TN / DD80TN, DR80SN_DD80SN	R-410A DMVT, DMVE, DFVE, DFVE* (115 V), AWSF, AWST, ACSF, AMST, MBVK, CAPT, CAPTA, CAPFA, CAPF, CAUF, CAUFA, CHPF, CHPTA / CHPT R-32 DAMST, DAWST, CAPFA, CAPTA, CHPTA

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 10-Year or 12-Year Parts Limited Warranties, the 10-Year Compressor Replacement Limited Warranty, the 20-Year Heat Exchanger Limited Warranty, the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), and to receive the 2-Year, 6-Year, or 12-Year Unit Replacement Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the 2-Year, 6-Year, and 12-Year Unit Replacement Limited Warranties. Online registration and some of the additional requirements are not required in Florida, California, or Quebec. The duration of warranty coverage in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

[†] If product installed in a commercial application, limited warranty period is 5 years.

^{††} If product installed in a commercial application, limited warranty periods will differ depending on the model.

^{†††} Registration not required if installed in a commercial or residential application.





Split System Air Conditioners								
MODELS	DX9VC	DX7TC	NEW	NEW	NEW	NEW	NEW	NEW
			DC6VS	DC5SE	DC4SE	DC4SQ	DC3SE	DC3SQ
Refrigerant	R-410A	R-410A						
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	6-Year	6-Year	N/A	6-Year	N/A
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One</i> ecosystem, and other Daikin communicating equipment).	■	■	■	N/A	N/A	N/A	N/A	N/A
SEER2	Up to 22.5	Up to 17.2	Up to 17.2	Up to 16.5	Up to 15.2	Up to 15.2	Up to 15	Up to 15
Compressor Type	Variable-Speed Scroll and Swing	Two-Stage High-Efficiency Scroll	Variable-Speed Swing	Energy-Efficient Scroll	Energy-Efficient Scroll	Rotary 1.5-2.5 Scroll 3-5	Energy-Efficient Scroll	Rotary 1.5-2.5 Scroll 3-5
Internal Diagnostics	■	■	■	■	■	N/A	■	N/A
ECM Condensing Unit Fan Motor	■	■	Digitally Commutated	Select Models	Select Models	Select Models	Select Models	Select Models
High-Density Compressor Sound Blanket	■	■	■	■	■	N/A	■	N/A
Filter Drier	Field Installed	Factory Installed	Field Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed
ENERGY STAR® Certified**			NO		NO	NO	NO	NO

Split System Heat Pumps								
MODEL	DZ9VC ³	DZ7TC	NEW	NEW	NEW	NEW	NEW	
			DH7VS	DH6VS	DH5SE	DH4SE	DH4SQ	
Refrigerant	R-410A	R-410A						
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	12-Year	6-Year	6-Year	N/A	
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	
Communicating (Compatible with the Daikin <i>One</i> ecosystem, and other Daikin communicating equipment).	■	■	■	■	N/A	N/A	N/A	
2023 Compliant	YES	YES	YES	YES	YES	YES	YES	
SEER2	Up to 22.5	17.2	Up to 19	Up to 19	Up to 16	Up to 15.2	Up to 15.2	
HSPF2	Up to 8.2	Up to 8.2	Up to 8.8	Up to 8.8	Up to 8.2	Up to 7.8	Up to 7.8	
Compressor Type	Variable-Speed Swing	High-Efficiency Scroll	Variable-Speed Swing	Variable-Speed Swing	High-Efficiency Scroll	Energy-Efficient Scroll	Energy-Efficient	
Defrost Technology (with SmartShift®)	Demand	Time/Temp	Intelligent	Intelligent	Time/Temp	Time/Temp	Time/Temp	
Internal Diagnostics	■	■	■	■	■	■	N/A	
Factory-Installed Accumulator	■	■	■	■	■	■	■	
Crankcase Heater ²	YES Internal to the Compressor	■	YES Internal to the Compressor	YES Internal to the Compressor	■	■	■	
High-Density Compressor Sound Blanket	■	■	■	■	■	■	Select Models	
Filter Drier	Field Installed	Factory Installed	Field Installed	Field Installed	Factory Installed	Factory Installed	Factory Installed	
ENERGY STAR® Certified**								

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year, 6-Year, or 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the Unit Replacement Limited Warranty. Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Quebec. The duration of warranty coverage in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

** Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® criteria. Ask your contractor for details or visit www.energystar.gov.

¹ Products that are recognized as the Most Efficient of ENERGY STAR® in 2024 prevent greenhouse gas emissions by meeting rigorous energy efficiency performance levels set by the U.S. Environmental Protection Agency. Select combinations are recognized as the Most Efficient of ENERGY STAR® in 2024. Visit the following website for more information: www.energystar.gov/products/most_efficient.

² The DZ9VC series has a external crankcase only on the 5-ton model.

GAS FURNACES
90+% AFUE | 80% AFUE



90+% AFUE

MODELS	DM97MC	DC97MC	DM96VC	DM96SC-U*	DC96VC	DM96SN-U*	NEW	NEW	NEW	NEW	NEW	
							DR96TN	DD96TN	DR96SN	DD96SN	DR92SN	
R-32 ready?	With a Furnace Integration Kit	YES	YES	YES	YES	YES						
Will it work with an R-410A system?	YES	YES	YES	YES	YES	YES	Convertible	Convertible	Convertible	Convertible	Convertible	
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	12-Year	12-Year	6-Year	6-Year	6-Year	6-Year	6-Year	6-Year	
Lifetime Heat Exchanger Limited Warranty*	■	■	■	■	■	■	■	■	■	■	■	
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■	■	■	
Communicating (Compatible with the Daikin <i>One</i> ecosystem, and other Daikin communicating equipment).	■	■	■	■	■	N/A	N/A	N/A	N/A	N/A	N/A	
AFUE	Up to 97%	Up to 97%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 97%	Up to 92%	Up to 92%	
Gas Valve Type	Modulating	Modulating	Two-Stage	Single-Stage	Two-Stage	Single-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage	Single-Stage	
Self-Diagnostics Control Board	■	■	■	■	■	■	■	■	■	■	■	
Tubular, Primary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel						
Secondary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel						
Motor Type	Variable-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM					
Igniter Type	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride						
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	
ENERGY STAR® Certified**												NO

UP TO 80% AFUE

MODELS	DM80VC	DC80VC	DM80SC-U*	DM80SN-U*	NEW	NEW	NEW	NEW
					DR80TN	DD80TN	DR80SN	DD80SN
R-32 ready?	With a Furnace Integration Kit	YES	YES	YES	YES			
Will it work with an R-410A system?	YES	YES	YES	YES	Convertible	Convertible	Convertible	Convertible
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	6-Year	6-Year	6-Year	6-Year	6-Year
Lifetime Heat Exchanger Limited Warranty*	■	■	■	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One</i> ecosystem, and other Daikin communicating equipment).	■	■	■	N/A	N/A	N/A	N/A	N/A
AFUE	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Gas Valve Type	Two-Stage	Two-Stage	Single-Stage	Single-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage
Self-Diagnostics Control Board	■	■	■	■	■	■	■	■
Tubular, Dual-Diameter Primary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM
Igniter Type	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal
ENERGY STAR® Certified**	NO	NO	NO	NO	NO	NO	NO	NO

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year or 6-Year Unit Replacement Limited Warranty, Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home) or 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the Unit Replacement Limited Warranty. Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Quebec. The duration of warranty coverage in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

^ All Ultra-Low NOx DM96SC-U and DM80SC-U models comply with the 14 ng/J emission limit specified in the South Coast Air Quality Management District (SCAQMD) Rule 1111 and San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 4905. Learn more at www.aqmd.gov or www.valleyair.com. All other furnaces can not be installed in California's South Coast Air Quality Management District (SCAQMD) and San Joaquin Valley Air Pollution Control District (SJVAPCD).

** Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® criteria. Ask your contractor for details or visit www.energystar.gov.





Air Handlers								
MODELS	NEW R-32 MODELS						DMVE Multi-Position	MBVK Modular Blower
	ACSF / ACST*13 Ceiling Mount	230V DFVE / DFVE*13 Multi-Position	115V DFVE / DFVE*03 Multi-Position	DMVT / DMVT*13 Multi-Position	AMST / AMST*13 Multi-Position	AWST / AWST*13 Wall-Mount		
Refrigerant Compatible	R-410A / R-32 (ACST*13 is R-32)	R-410A / R-32 (DFVE*13 is R-32)	R-410A / R-32 (DFVE*03 is R-32)	R-410A / R-32 (DMVT*13 is R-32)	R-410A / R-32 (AMST*13 is R-32)	R-410A / R-32 (AWST*13 is R-32)	R-410A	R-410A
Furnace Integration Kit required for R-32 compatibility	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One</i> ecosystem, and other Daikin communicating equipment).	N/A	■	■	■	N/A	N/A	■	■
Outdoor Variable Speed Inverter Compatible (Non-Fit)	N/A	N/A	N/A	N/A	N/A	N/A	■	N/A
Compatible with Daikin Fit system	N/A	■	■	N/A	N/A	N/A	N/A	■
All-Aluminum Evaporator Coil	■	■	■	■	■	■	■	N/A
Factory-Mounted EEV	N/A	■	■	N/A	N/A	N/A	■	N/A
Factory-Mounted TXVs	Factory-mounted TXV on the ACST*13	N/A	N/A	■	■	■	N/A	N/A
Motor Type	Direct-Drive Multi-Speed	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	9 TAP ECM	Multi-Speed ECM	Variable-Speed ECM	Variable-Speed ECM
UL60335 2-40 Compliant	■	■	■	■	■	■	■	■

Coils								
MODEL	NEW R-32 MODELS					CAUFA/CAUF	CHPF	CSCF Slab
	CAPEA/CAPE**/CAPEA*3**	CAPT/CAPTA/CAPTA*3	CHPE**/CHPEA*3**	CHPTA/CHPT/CHPTA*3	CAPFA/CAPF/CAPFA*3			
Refrigerant Compatible	R-410A / R-32 (CAPEA*3 is R-32)	R-410A / R-32 (CAPTA*3 is R-32)	R-410A / R-32 (CHPEA*3 is R-32)	R-410A / R-32 (CHPTA*3 is R-32)	R-410A & R-22 / R-32 (CAPFA*3 is R-32)	R-410A & R-22	R-410A & R-22	R-410A & R-22
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One</i> ecosystem, and other Daikin communicating equipment).	■	N/A	■	N/A	N/A	N/A	N/A	N/A
Rust-Resistant, High-Temperature Thermoplastic Drain Pans	■	■	■	■	■	■	■	■
Compatible with Daikin <i>Fit</i> system**	■	N/A	■	■	N/A	N/A	N/A	N/A
All-Aluminum Evaporator Coil	■	■	■	■	■	■	■	■
Metering Device	EEV	TXV	Piston	Piston	Piston	TXV	Piston	Piston
Other Features	Upflow, Downflow	Upflow, Downflow	Horizontal 'A'	Horizontal 'A'	Upflow, Downflow	Upflow, Downflow	Horizontal 'A'	Horizontal Slab

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Quebec. The duration of warranty coverage in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

** CAPEA is the only coil compatible with the Daikin *Fit* Heat Pump system.

SCAN TO LEARN MORE ABOUT OUR INDOOR AIR QUALITY (IAQ) SOLUTIONS:

DAIKIN ONE ECOSYSTEM PRODUCTS:
DAIKINCOMFORT.COM/GO/DAIKINONEECOSYSTEM/



CLEAN COMFORT IAQ PRODUCTS:
WWW.CLEANCOMFORT.COM



SINGLE AND MULTI-ZONE



Single and Multi-Zone Systems												
MODELS	Daikin <i>ENTRA</i> Wall-Mount	Daikin <i>OTERRA</i> Wall-Mount	Daikin <i>EMURA</i> Wall-Mount Heat Pump	Daikin <i>AURORA</i> Wall-Mount, Floor-Mount and FDMQ Ducted Concealed	FDMQ Ducted Concealed	Daikin <i>ATMOSPHERA</i>	Daikin <i>CIRRA</i> Multi-Zone	Daikin <i>VISTA</i> Ceiling-Mount	Daikin <i>POLARA</i> Wall-Mount	Daikin <i>AURORA</i> Multi-Zone	MXT / MXS Multi-Zone	SkyAir series
Heat Pump	■	■	■	■	■	■	■	■	■	■	■	■
Cooling Only	—	■	—	—	—	—	—	—	■	—	—	■
SEER2	18	21	Up to 18	Up to 19.8	Up to 15.3	Up to 27.4	17	Up to 19.8	Up to 17.5	Up to 20	Up to 20.6	Up to 21
HSPF2	Up to 9.0	Up to 10	Up to 8.0	Up to 10	Up to 8.2	Up to 11.2	9	Up to 9.4	Up to 7.5	Up to 9.7	Up to 9.7	Up to 10.3
Capacity (Tons)	0.75 to 2.0	0.75 to 2.0	0.75 to 1.5	0.75 to 2.0	0.75 to 2.0	0.75 to 2.0	1.5	0.75 to 1.50	2.5 & 3.0	1.5 to 3.0	1.5 to 4.0	1.5 to 4.0
R-410A Refrigerant	■	■	■	■	■	—	■	■	■	■	■	■
R-32 Refrigerant	●	●	—	●	—	■	—	—	—	—	●	—
Inverter Technology	■	■	■	■	■	■	■	■	■	■	■	■
Remote Control	■	■	■	■	◆	■	■	◆	■	■	■	◆
12-Year Parts Limited Warranty*	—	■	■	■	■	■	—	■	—	■	■	—
10-Year Parts Limited Warranty**	—	—	—	—	—	—	—	—	■	—	—	■
10-Year Parts Limited Warranty*	■	—	—	—	—	—	■	—	—	—	—	—

◆ Controller required as accessories.

● These are separate R-410A or R-32 systems for these systems. Refer to safety and usage regulations for A1 and A2L refrigerants.

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 10-Year Parts/Compressor Limited Warranty or the 12-Year Parts/Compressor Limited Warranty, online registration must be completed within 60 days of installation. Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Quebec. The duration of warranty coverage in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

** Limited Warranty registration not required for residential or commercial installations. For more information, please visit www.daikincomfort.com.



PACKAGED AIR CONDITIONERS | HEAT PUMPS



Packaged Air Conditioners	
MODEL	DP3CH
Refrigerant	R-410A
12-Year Parts Limited Warranty*	■
SEER2	13.4
Capacity (Tons)	2 to 5
Installation Options	Dedicated Horizontal
Scroll Compressor	■
Louvered Condenser Coil Protection	■
Heavy-Gauge Galvanized Steel Cabinet	■

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive 12-year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Quebec. The duration of warranty coverage in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

Please see product specifications for more details on accessories and options at daikincomfort.com

MODELS	Packaged Heat Pumps				Dual Fuel	Packaged Gas/Electric			
	DP5HH	DP5HM	DP3HH	DP3HM	DP3DM [*]	DP5GM [*]	DP5UM ^{**}	DP3GM [*]	DP3UM ^{**}
Refrigerant	R-410A	R-410A	R-410A	R-410A	R-410A	R-410A	R-410A	R-410A	R-410A
Unit Replacement Limited Warranty*	6-Year	6-Year	N/A	N/A	6-Year	6-Year	6-Year	N/A	N/A
Lifetime Heat Exchanger Limited Warranty*	N/A	N/A	N/A	N/A	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■
SEER2	Up to 15.2	Up to 15.2	13.4	13.4	Up to 13.4	Up to 15.2	Up to 15.2	13.4	13.4
AFUE	N/A	N/A	N/A	N/A	81%	81%	81%	81%	81%
HSPF2	6.7	Up to 6.8	6.7	6.7	6.7	N/A	N/A	N/A	N/A
Capacity (Tons)	2 to 5	2 to 5	2 to 5	2 to 5	2 to 4	2 to 5	2½ & 3	2 to 5	2 to 5
Scroll Compressor	■	■	■	■	■	■	■	■	■
Heavy-Gauge Galvanized Steel Cabinet	■	■	■	■	■	■	■	■	■
Louvered Condenser Coil Protection	■	■	■	■	■	■	■	■	■
Tubular Heat Exchanger	N/A	N/A	N/A	N/A	Stainless Steel Dual-Diameter Tubular Heat Exchanger				
Installation Option	Dedicated Horizontal	Multi-Position	Dedicated Horizontal	Multi-Position	Multi-Position	Multi-Position	Multi-Position	Multi-Position	Multi-Position

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), and to receive the 6-Year Unit Replacement Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the 6-Year Unit Replacement Limited Warranty. Online registration and some of the additional requirements are not required in Florida, California, or Quebec. The duration of warranty coverage in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

[^] This furnace does not comply with the SCAQMD Rule 1111 14 ng/J NOx emission limit and therefore is not eligible for installation in California's South Coast Air Quality Management District (SCAQMD).

^{**} This furnace complies with the SCAQMD Rule 1111 14ng/J NOx emission limit and therefore is eligible for installation in California's South Coast Air Quality Management District (SCAQMD) and San Joaquin Valley Air Pollution Control District (SJVAPCD).

Daikin provides innovative, premium quality indoor climate management solutions to meet the changing needs of residential, commercial and industrial customers.

Daikin *One+* smart thermostat



Daikin *One* touch smart thermostat

Many Daikin products are compatible with the Daikin *One+* and Daikin *One* touch smart thermostats. If you seek ultimate home comfort, the Daikin *One* smart thermostats are an integrated solution for controlling temperature, humidity, and air quality. Learn more at www.daikinone.com.

Why choose Daikin?

Daikin is the world leader when it comes to heating and cooling. Thanks to our constant innovation in comfort, energy efficiency, control and reliability, we define the benchmarks for quality within the industry.

Expert reviews from our most important critics.

Daikin offers a wide selection of choices for energy-efficient indoor comfort. As a worldwide leader in heating and cooling technology, Daikin is also a highly-rated brand. See for yourself at www.daikincomfort.com/reviews.

WARNINGS

- Working with all refrigerants involves a degree of liability. It is recommended to use best practices and always adhere to safety protocols before, during, and when working with any refrigerants.
- DO NOT MIX REFRIGERANTS
- Per current US EPA SNAP approvals, A2L refrigerants can only be used in new equipment and CANNOT be used to retrofit a different refrigerant into an existing system. Always use the same refrigerant marked on the nameplate.
- Codes are rapidly changing and allowing A2L refrigerants throughout North America. Check with your local Daikin Comfort Technologies Distributor for latest product availability information.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.